

Draft DTD Data Dictionary

To Support MIL-M-81310F

MANUALS, TECHNICAL: AIRBORNE WEAPONS/STORES LOADING/WEAPONS ASSEMBLY/SUPPORT EQUIPMENT CONFIGURATION

**This Data Dictionary supports the MIL-M-81310 DTD with the public
identifier of:**

PUBLIC "-//USA-DOD//DTD MIL-M-81310F Airborne Weapons Draft VI 111700//EN

**PBM Associates, Inc.
34 Sycamore Ave., Unit 1-H Little Silver, NJ 07739
(732) 933-3801**

November 17, 2000

Table Of Contents

ABBREV.....	10
ABBREVENTRY.....	10
ABBREVLIST.....	11
ACTIVITY.....	11
ADDITIONAL-COPIES.....	11
ADDITIONAL-PROC-CHECK.....	12
ADDRESS.....	12
AFTER-LANDING-GROUND-ABORT-CHECK.....	12
AIRCRAFT.....	13
AIRCRAFT-ARM-SWITCHES.....	13
AIRCRAFT-EFFECTIVITIES.....	13
AIRCRAFT-LISTING.....	14
AIRCRAFT-PREP-INSPECT-CHECK.....	14
AIRCRAFT-TYPE.....	15
ARM-DEARM-CHECKLIST.....	15
ARRANGEMENT.....	15
ASSEM-DISASSEM-PROC-SECTION.....	16
ASSUMPTIONS.....	16
AUTHNOTE.....	16
AUTOGEN.....	17
AWSE-MANUAL.....	17
BACKGROUND.....	17
BASIC-ISSUE-INFO.....	18
BLOCK-TEXT.....	18
BOUNDEDRANGE.....	18
CAUTION.....	19
CAUTIONS.....	20
CAUTIONSAMPLE.....	20
CFA.....	21
CHANGE.....	21
CHANGE-ISSUE-INFO.....	22
CHANGE-SUMMARY.....	22
CHANGE-SUMMARY-INFO.....	23
CHANGES-INCORPORATED.....	23
CHANGES-TO-MANUAL.....	23
CHGDATE.....	24
CHGHIST.....	24
CHGNUM.....	24
COLSPEC.....	25
COMM-PREFIX.....	25
COMMON-PROC-SECTION.....	26
CONFIG-DATA-SECTION.....	26

CONTINUE.....	27
CURRENTCHGS.....	27
DATE.....	27
DEF.....	28
DEFHD.....	28
DEFLIST.....	28
DESC.....	29
DESC-SECTION.....	29
DESTR.....	30
DIRECTIVES.....	30
DISTRIB.....	31
EFFECT.....	31
EMPHASIS.....	32
ENTRY.....	33
ENTRYTBL.....	33
EQUIPMENT.....	34
EXP.....	34
EXPORT.....	35
EXTERNAL.....	35
EXTREF.....	35
FIGREF.....	36
FIGURE.....	38
FRONT-ARM-DEARM-CHECKLIST.....	39
FRONT-AWSE-MANUAL.....	39
FRONT-LOAD-RELEASE-CHECKLIST.....	39
FRONT-WAM.....	40
FRONT-WAM-CHECKLIST.....	40
FRONT-WEAPONS-LOADING.....	41
FTNOTE.....	41
FTNREF.....	42
FUNCTION.....	42
GLOSSARY.....	42
GRAPHIC.....	43
HAZARD.....	44
HAZDESC.....	45
HAZMAT.....	45
HAZMATEXP.....	45
HAZMATICON.....	46
HAZMATLIST.....	46
HAZMATWARNS.....	46
HMWSPG.....	47
HOW-TO-USE.....	47
HOW-TO-USE-ETM-INFO.....	47

ICON-SET.....	48
IDNO.....	48
INDEX.....	49
INDEX-FRONT.....	49
INDEX-INTRO.....	49
INTRO.....	50
INTRO-SECTION.....	50
INTROPARA.....	51
IRAC.....	51
ITEM.....	51
LINE.....	52
LOADING.....	52
LOADING-UNLOADING-PROC-SECTION.....	53
LOC.....	53
LOCATION.....	54
LOCENTRY.....	54
LOI.....	55
LOT.....	55
MAINTLVL.....	55
MANUAL.....	56
MANUALTYPE.....	56
MODELDES.....	57
NAME.....	57
NIEP.....	58
NIEP-CHECKLIST.....	58
NOMEN.....	58
NOT-APPLICABLE.....	59
NOTE.....	59
NOTES.....	61
NOTESAMPLE.....	62
NOTICES.....	62
NSN.....	63
ORIGINATOR.....	63
OTHER-INFO.....	64
PAGECOUNT.....	64
PAGEHIST.....	64
PAGENO.....	65
PARA.....	65
PARTNO.....	68
POC-COMM.....	68
POC-DSN.....	69
POC-EMAIL.....	69
POC-FAX.....	69

POC-INFO.....	70
POC-LISTING.....	70
POC-LISTING-PAGE.....	71
POC-TEAM-LEADER.....	71
POSTCHECK-CHECK.....	71
POSTLOADING-INSP-CHECK.....	72
PRECAUTION.....	72
PRELOADING.....	73
PREPARATION.....	73
PRIOR-TO-LAUNCH-CHECK.....	74
PROC.....	74
PROGRAM.....	75
PROMPG.....	76
PRTITLE.....	76
PUB-LISTING.....	76
PUBDATE.....	77
PURPOSE.....	77
RANLIST.....	78
REFERENCE.....	79
REFERENCE-PUBS.....	79
RELEASE-CTRL-SYS-CHECK.....	80
RELEASE-CTRL-SYS-CHECKLIST.....	80
RELEASE-CTRL-SYS-CHECKS-SECTION.....	81
REQ-AND-DISTRIB.....	81
REQREAD.....	82
RESTRICTIONS.....	82
REV.DATE.....	83
REV.NO.....	83
ROW.....	84
SAFESUM.....	84
SAFETY-SUMMARY.....	85
SCOPE.....	85
SEQLIST.....	86
SEQNO.....	86
SIGBLK.....	87
SINGLE.....	87
SPANSPEC.....	88
SPEC.....	88
STD2COLHD.....	89
STD3COLHD.....	89
STDHEAD1.....	89
STDHEAD2.....	90
STDHEAD3.....	90

STEP.....	91
SUB-INTROPARAS.....	92
SUB-PARAS.....	93
SUB-STEPS.....	94
SUBFIG.....	94
SUBSCRPT.....	95
SUBTITLE.....	96
SUPER.....	96
SUPPL.....	96
SUPSCRPT.....	97
SYMBOL.....	98
TABLE.....	98
TASK.....	101
TASKINTRO.....	102
TBODY.....	103
TECH-DIRECTIVES.....	104
TERM.....	105
TEST-AND-REPROGRAMMING-SECTION.....	105
TFOOT.....	106
TGROUP.....	106
THEAD.....	107
TITLE.....	108
TITLEDPARA.....	112
TITLEPG.....	112
TMIDNO.....	113
TOC.....	114
TPD.....	115
TPDENTRY.....	115
TPDRPG.....	116
TURNAROUND-CHECK.....	116
UNBOUNDEDRANGE.....	117
UNLOADING.....	118
VERBATIM.....	118
VERIFICATION.....	120
WARNING.....	121
WARNING-CAUTION-NOTE.....	122
WARNINGS.....	123
WARNINGS-CAUTIONS.....	123
WARNINGSAMPLE.....	124
WEAPON.....	125
WEAPONS-ASSEMBLY-CHECK.....	126
WEAPONS-ASSEMBLY-CHECKLIST.....	127
WEAPONS-ASSEMBLY-MANUAL.....	127

WEAPONS-CHECKLIST	128
WEAPONS-DISASSEMBLY-CHECK	129
WEAPONS-INSPECT-CHECK	130
WEAPONS-LOADING-CHECK	130
WEAPONS-LOADING-MANUAL	131
WEAPONS-PUBLICATION-INDEX	132
WEAPONS-TYPE	132
WEAPONS-UNLOADING-CHECK.....	133
WEB	134
XLINK.....	134
XREF.....	135

Entity Name: yesorno

Content Model:

<!ENTITY % yesorno "NMTOKEN">

Entity Name: secur

Content Model:

<!ENTITY % secur "security (u | c | s) 'u'">

Entity Name: refs

Content Model:

<!ENTITY % refs "id ID #IMPLIED xrefid IDREF #IMPLIED">

Entity Name: chgatt

Content Model:

<!ENTITY % chgatt "deltypes (delete | real | reserve | NA) #IMPLIED
inschlvl NMTOKEN #IMPLIED delchlvl NMTOKEN #IMPLIED status
(empty | deleted | reserved | notapp) #IMPLIED revchg %yesorno; '0'">

Entity Name: bodyatt

Content Model:

<!ENTITY % bodyatt "label CDATA #IMPLIED deltypes (delete | real
| reserve | NA) #IMPLIED inschlvl NMTOKEN #IMPLIED delchlvl
NMTOKEN #IMPLIED status (empty | deleted | reserved | notapp)
#IMPLIED revchg NMTOKEN '0' id ID #IMPLIED xrefid IDREF
#IMPLIED assocfig IDREF #IMPLIED assoctab IDREF #IMPLIED">

Entity Name: stepatt

Content Model:

<!ENTITY % stepatt "emerg-status (emerg-applicable | emerg-notapplicable)
'emerg-notapplicable' qap-status (qap-applicable | qap-notapplicable)
'qap-notapplicable' hci-status (hci-applicable | hci-notapplicable)
'hci-notapplicable' hcp-status (hcp-applicable | hcp-notapplicable)
'hcp-notapplicable' esds-status (esds-applicable | esds-notapplicable)
'esds-notapplicable' label CDATA #IMPLIED deltypes (delete | real | reserve | NA)
#IMPLIED inschlvl NMTOKEN #IMPLIED delchlvl NMTOKEN #IMPLIED
status (empty | deleted | reserved | notapp) #IMPLIED revchg NMTOKEN
'0' id ID #IMPLIED xrefid IDREF #IMPLIED assocfig IDREF
#IMPLIED assoctab IDREF #IMPLIED">

Entity Name: docatt

Content Model:

```
<!ENTITY % docatt "docid ID #IMPLIED docstat (revision | change |
prelim | formal) 'prelim' %secur;">
```

Entity Name: figatts

Content Model:

```
<!ENTITY % figatts "width-status (page | column-width) #IMPLIED ori-
ent (port | land) 'port' placement (inline | float) 'float' applicref IDREFS
#IMPLIED %bodyatt; %secur;">
```

Entity Name: fig

Content Model:

```
<!ENTITY % fig "effect?, title?, ((subfig, subfig+) | (graphic))">
```

Entity Name: list

Content Model:

```
<!ENTITY % list "randlist | deflist | seqlist">
```

Entity Name: paracon

Content Model:

```
<!ENTITY % paracon "para | table | %list; | note">
```

Entity Name: paranotablecon

Content Model:

```
<!ENTITY % paranotablecon "para | randlist | deflist | seqlist | note">
```

Entity Name: procon

Content Model:

```
<!ENTITY % procon "warning*, caution*, (para | deflist | randlist | note
| table)+">
```

Entity Name: stepcon

Content Model:

```
<!ENTITY % stepcon "warning*, caution*, note*, (para+, (table | note |
randlist | deflist)*)+">
```

Entity Name: wpinfogeneric

Content Model:

```
<!ENTITY % wpinfogeneric "titleblk, wpinfo, addwpinfo?, intro?, titled-
para+, figsect?, foldsect?">
```

Entity Name: text

Content Model:

```
<!ENTITY % text "#PCDATA | change | emphasis | block-text | extref |
graphic | verbatim | xref | figref | ftnote | ftref | xlink | subscript | superscript
| symbol | external">
```

Entity Name: pctext

Content Model:

```
<!ENTITY % pctext "#PCDATA | change | emphasis | extref | graphic |
verbatim | xref | figref">
```

Entity Name: introcon

Content Model:

```
<!ENTITY % introcon "para | table | %list; | note | warningsample | cau-
tionsample | notesample | abbrevlist">
```

ELEMENT NAME:

ABBREV

Content Model:

```
<!ELEMENT abbrev (%text;)*>
```

Element Definition:

Abbreviation - part of the abbreviation list.

Attributes:

%secur;

Found in:

abbreventry

ELEMENT NAME:

ABBREVENTRY

Content Model:

```
<!ELEMENT abbreventry (abbrev, def)>
```

Element Definition:

Abbreviation Entry groups the abbreviation and definition in the abbrevi-
ation list.

Attributes:

%refs;

%secur;

Found in:

abbrevlist

ELEMENT NAME:

ABBREVLIST

Content Model:

<!ELEMENT abbrevlist (title?, std2colhd, abbreventry+)>

Element Definition:

Abbreviation List.

Attributes:

% refs;

% secur;

Found in:

aircraft-effectivities

arrangement

assumptions

changes-to-manual

how-to-use

intropara

purpose

reference-pubs

req-and-distrib

scope

tech-directives

warning-caution-note

ELEMENT NAME:

ACTIVITY

Content Model:

<!ELEMENT activity (line+)>

Element Definition:

Activity

Attributes:

% secur;

Found in:

prompg

ELEMENT NAME:

ADDITIONAL-COPIES

Content Model:

<!ELEMENT additional-copies (title, para+)>

Element Definition:

"Additional Copies of This Publication May Be Obtained As Follows"
statement after the List of Effective Pages of a Checklist.

Attributes:

%secur;

Found in:

niep-checklist

ELEMENT NAME:

ADDITIONAL-PROC-CHECK

Content Model:

<!ELEMENT additional-proc-check (title, (%procon;)*, taskintro?,
step*, proc*, figure*)>

Element Definition:

Additional procedures.

Attributes:

%bodyatt;

%secur;

Found in:

weapons-checklist

ELEMENT NAME:

ADDRESS

Content Model:

<!ELEMENT address (line)+>

Element Definition:

Address.

Attributes:

%secur;

Found in:

poc-info

prompg

ELEMENT NAME:

AFTER-LANDING-GROUND-ABORT-CHECK

Content Model:

<!ELEMENT after-landing-ground-abort-check (title, (%procon;)*,
taskintro?, step*, proc*, figure*)>

Element Definition:

After landing or ground abort. After landing or ground abort procedures will only be addressed within the weapons/stores loading checklist when an arm/dearm checklist is not required for the aircraft platform because of limited weapons capability.

Attributes:

%bodyatt;
%secur;

Found in:

arm-dearm-checklist
weapons-checklist

ELEMENT NAME:

AIRCRAFT

Content Model:

<!ELEMENT aircraft (#PCDATA)>

Element Definition:

Aircraft

Attributes:

%secur;

Found in:

aircraft-listing
aircraft-type

ELEMENT NAME:

AIRCRAFT-ARM-SWITCHES

Content Model:

<!ELEMENT aircraft-arm-switches (title, (%paranotablecon;)*, table)>

Element Definition:

Table of Aircraft Armament Switches

Attributes:

%refs;
%secur;

Found in:

front-arm-dearm-checklist

ELEMENT NAME:

AIRCRAFT-EFFECTIVITIES

Content Model:

```
<!ELEMENT aircraft-effectivities (effect?, title, ((%introcon;)* | figure)*, sub-introparas?)>
```

Element Definition:

Aircraft effectivities (aircraft loading manuals only)

Attributes:

```
%bodyatt;  
%secur;
```

Found in:

intro-section

ELEMENT NAME:

AIRCRAFT-LISTING

Content Model:

```
<!ELEMENT aircraft-listing (aircraft, pub-listing+)>
```

Element Definition:

Aircraft listing. Part of the Airborne weapons/stores publication index listing

Attributes:

```
%secur;
```

Found in:

index

ELEMENT NAME:

AIRCRAFT-PREP-INSPECT-CHECK

Content Model:

```
<!ELEMENT aircraft-prep-inspect-check (title, (%procon;)*, taskintro?, step*, proc*, figure*)>
```

Element Definition:

Aircraft preparation/inspection. Aircraft preparation/inspection information will be presented under the assumption that the aircraft armament system configuration and associated equipment is ready for the loading evolution to begin.

Attributes:

```
%bodyatt;  
%secur;
```

Found in:

release-ctrl-sys-checklist

weapons-checklist

ELEMENT NAME:

AIRCRAFT-TYPE

Content Model:

<!ELEMENT aircraft-type (aircraft, modeldes?, effect?)>

Element Definition:

Aircraft Type

Attributes:

% secur;

Found in:

prtitle

ELEMENT NAME:

ARM-DEARM-CHECKLIST

Content Model:

<!ELEMENT arm-dearm-checklist (front-arm-dearm-checklist, safety-summary, prior-to-launch-check*, after-landing-ground-abort-check*, turnaround-check*)>

Element Definition:

Arm/Dearm Checklist

Attributes:

% docatt;

Found in:

manual

ELEMENT NAME:

ARRANGEMENT

Content Model:

<!ELEMENT arrangement (effect?, title, ((%introcon;)* | figure)*, sub-introparas?)>

Element Definition:

Arrangement of manual

Attributes:

% bodyatt;

% secur;

Found in:

intro-section

ELEMENT NAME:

ASSEM-DISASSEM-PROC-SECTION

Content Model:

<!ELEMENT assem-disassem-proc-section (not-applicable | (title, intro, task+))>

Element Definition:

Specific weapons assembly/disassembly procedures (WAM only). For each weapon or family group, a separate section shall be prepared containing complete weapon assembly/disassembly procedures. Where procedures are common to a family group of weapons, the series shall be covered as a single weapon in a family group. Section sequence will be presented according to numerical sequence of weapons (e.g., AIM-7, AIM-9, etc.).

Attributes:

%bodyatt;

%secur;

Found in:

weapons-assembly-manual

ELEMENT NAME:

ASSUMPTIONS

Content Model:

<!ELEMENT assumptions (effect?, title, ((%introcon;)* | figure)*, sub-introparas?)>

Element Definition:

Assumptions

Attributes:

%bodyatt;

%secur;

Found in:

intro-section

ELEMENT NAME:

AUTHNOTE

Content Model:

<!ELEMENT authnote (para)>

Element Definition:

Authority Notice as part of the Title Page of the Manual

Attributes:

% secur;

Found in:

notices

ELEMENT NAME:

AUTOGEN

Content Model:

<!ELEMENT autogen EMPTY>

Element Definition:

Auto-Generated Data. Used as a placeholder for automatically generated indices.

Attributes:

% secur;

Found in:

chghist

ELEMENT NAME:

AWSE-MANUAL

Content Model:

<!ELEMENT AWSE-manual (front-awse-manual, intro-section, common-proc-section, config-data-section+, glossary)>

Element Definition:

Armament weapons support equipment configuration manuals (AWSE)

Attributes:

% docatt;

Found in:

manual

ELEMENT NAME:

BACKGROUND

Content Model:

<!ELEMENT background (title?, (%paracon;)*, sub-paras?)>

Element Definition:

A background paragraph clarifying the step/section performance sequence. Part of the Required Reading Section.

Attributes:

% bodyatt;

%secur;

Found in:

reqread

ELEMENT NAME:

BASIC-ISSUE-INFO

Content Model:

<!ELEMENT basic-issue-info (changes-incorporated?, pubdate, nsn, web)>

Element Definition:

Basic Issue Information. Part of the Airborne weapons/stores publication index listing

Attributes:

%bodyatt;

%secur;

Found in:

pub-listing

ELEMENT NAME:

BLOCK-TEXT

Content Model:

<!ELEMENT block-text (%text;)*>

Element Definition:

Attributes:

justify (left | center | right) "center"

Found in:

abbrev

block-text

change

desc

emphasis

entry

hazdesc

para

xlink

ELEMENT NAME:

BOUNDED RANGE

Content Model:

<!ELEMENT boundedrange EMPTY>

Element Definition:

Effectivity Notice - range of effectivity numbers such as "Tail Number X through Y"

Attributes:

lowrange NMTOKEN #REQUIRED
highrange NMTOKEN #REQUIRED
%secur;

Found in:

effect

ELEMENT NAME:

CAUTION

Content Model:

<!ELEMENT caution (para | %list; | table)+>

Element Definition:

Caution

Attributes:

boardno ENTITY #IMPLIED
keyword CDATA #IMPLIED
xrefid IDREF #IMPLIED
%secur;
%chgatt;

Found in:

additional-proc-check
after-landing-ground-abort-check
aircraft-prep-inspect-check
entry
loading
postcheck-check
postloading-insp-check
preparation
prior-to-launch-check
proc
release-ctrl-sys-check
step
task

unloading
weapons-inspect-check
weapons-loading-check
weapons-unloading-check

ELEMENT NAME:

CAUTIONS

Content Model:

<!ELEMENT cautions (cautions)+>

Element Definition:

Cautions listing (WAM checklists only)

Attributes:

%secur;

Found in:

cautions
warnings-cautions

ELEMENT NAME:

CAUTIONSAMPLE

Content Model:

<!ELEMENT cautionsample (para | %list; | table)+>

Element Definition:

Caution Sample. Used to provide a sample of a Caution in the Introduction.

Attributes:

%secur;

Found in:

aircraft-effectivities
arrangement
assumptions
changes-to-manual
how-to-use
intropara
purpose
reference-pubs
req-and-distrib
scope
tech-directives

 warning-caution-note

ELEMENT NAME:

CFA

Content Model:

<!ELEMENT cfa (para)>

Element Definition:

Cognizant Facility Activity (CFA) Notice. A notice, indicating the cognizant facility activity responsible for the TM preparation, shall be included on the title page preceding the supersedure notice, for example, "This manual prepared by NAVSURFWARCENDIV, Crane, IN, Code 8024."

Attributes:

%secur;

Found in:

notices

 ELEMENT NAME:
CHANGE

Content Model:

<!ELEMENT change (%text;)* >

Element Definition:

Change

Attributes:

level NMTOKEN #REQUIRED
 change (mod | add | delete) "add"
 date CDATA #IMPLIED
 mark %yesorno;
 "1"
 %secur;

Found in:

abbrev
 block-text
 change
 comm-prefix
 def
 desc
 emphasis

entry
hazdesc
line
name
nomen
para
partno
poc-comm
poc-dsn
poc-email
poc-fax
spec
subtitle
term
title
xlink

ELEMENT NAME:

CHANGE-ISSUE-INFO

Content Model:

<!ELEMENT change-issue-info (chgnum, chgdate, nsn, web)>

Element Definition:

Change Issue Information. Part of the Airborne weapons/stores publication index listing

Attributes:

%secur;

Found in:

pub-listing

ELEMENT NAME:

CHANGE-SUMMARY

Content Model:

<!ELEMENT change-summary (title, desc)>

Element Definition:

The change summary, for ETMs and ETM checklists only, shall contain a list of information by paragraph titles that have been changed. A brief description of the major changes shall be provided for each titled paragraph listed.

Attributes:

xref IDREF #REQUIRED
% secur;

Found in:

change-summary-info

ELEMENT NAME:

CHANGE-SUMMARY-INFO

Content Model:

<!ELEMENT change-summary-info (change-summary+)>

Element Definition:

Change summary information (ETMs and ETM checklists)

Attributes:

Found in:

front-arm-dearm-checklist
front-awse-manual
front-load-release-checklist
front-wam
front-wam-checklist
front-weapons-loading

ELEMENT NAME:

CHANGES-INCORPORATED

Content Model:

<!ELEMENT changes-incorporated (chgnum+)>

Element Definition:

"With Changes Incorporated". When a basic publication with changes is reprinted, it will incorporate all changes, revert back to the last basic or revision date and a new NSN will be assigned. This element captures the changes incorporated.

Attributes:

% secur;

Found in:

basic-issue-info

ELEMENT NAME:

CHANGES-TO-MANUAL

Content Model:

<!ELEMENT changes-to-manual (effect?, title, ((%introcon;)* | figure)*, sub-introparas?)>

Element Definition:

Changes To Manual

Attributes:

%bodyatt;

%secur;

Found in:

intro-section

ELEMENT NAME:

CHGDATE

Content Model:

<!ELEMENT chgdate (#PCDATA)>

Element Definition:

Change date of the Manual

Attributes:

%secur;

Found in:

change-issue-info

titlepg

ELEMENT NAME:

CHGHIST

Content Model:

<!ELEMENT chghist ((std2colhd, pagehist*) | autogen)>

Element Definition:

Change History as part of the Numerical Index of Effective pages. If automatically generated, invoke the "autogen" attribute

Attributes:

%secur;

Found in:

niep

niep-checklist

ELEMENT NAME:

CHGNUM

Content Model:

```
<!ELEMENT chgnum (#PCDATA)>
```

Element Definition:

Change number of the Manual

Attributes:

%secur;

Found in:

change-issue-info
changes-incorporated
pagehist
titleg

ELEMENT NAME:

COLSPEC

Content Model:

```
<!ELEMENT colspec EMPTY>
```

Element Definition:

Column Specification

Attributes:

colnum NMTOKEN #IMPLIED
colname NMTOKEN #IMPLIED
align (left | right | center | justify | char) #IMPLIED
charoff NMTOKEN #IMPLIED
char CDATA #IMPLIED
colwidth CDATA #IMPLIED
colsep %yesorno;
#IMPLIED
rowsep %yesorno;
#IMPLIED

Found in:

entrytbl
tfoot
tgroup
thead

ELEMENT NAME:

COMM-PREFIX

Content Model:

```
<!ELEMENT comm-prefix (%pctext;)*>
```

Element Definition:

Prefix Number

Attributes:

%secur;

Found in:

poc-info

ELEMENT NAME:

COMMON-PROC-SECTION

Content Model:

<!ELEMENT common-proc-section (not-applicable | (title, intro, task+))>

Element Definition:

Common procedures section. Common procedural information shall be prepared, as applicable, for the airborne weapons/stores loading manual, WAM and AWSE manuals only.

Attributes:

%bodyatt;

%secur;

Found in:

AWSE-manual
weapons-assembly-manual
weapons-loading-manual

ELEMENT NAME:

CONFIG-DATA-SECTION

Content Model:

<!ELEMENT config-data-section (not-applicable | (title, intro, (titledpara | task+))>

Element Definition:

Configuration Data Section. Configuration data shall be prepared for the airborne weapons/stores loading manual, WAM and AWSE manual only.

Attributes:

%bodyatt;

%secur;

Found in:

AWSE-manual
weapons-assembly-manual

weapons-loading-manual

ELEMENT NAME:

CONTINUE

Content Model:

<!ELEMENT continue (para)>

Element Definition:

Continuation Notice as part of the Title Page of the Manual that have been divided into Volumes

Attributes:

%secur;

Found in:

notices

ELEMENT NAME:

CURRENTCHGS

Content Model:

<!ELEMENT currentchgs (rev.date+)>

Element Definition:

List of Current Changes. Part of the Numerical Index of Effective Pages.

Attributes:

%secur;

Found in:

niep
niep-checklist

ELEMENT NAME:

DATE

Content Model:

<!ELEMENT date (#PCDATA)>

Element Definition:

Date

Attributes:

%secur;

Found in:

prompg
rev.date

ELEMENT NAME:

DEF

Content Model:

<!ELEMENT def (%pctext;)*>

Element Definition:

Definition

Attributes:

%secur;

Found in:

abbreventry

defhd

deflist

ELEMENT NAME:

DEFHD

Content Model:

<!ELEMENT defhd (term, def)>

Element Definition:

Definition Heads - identifies the 'column headings' of a definition list

Attributes:

%secur;

Found in:

deflist

ELEMENT NAME:

DEFLIST

Content Model:

<!ELEMENT deflist (title?, defhd?, (term, def)+)>

Element Definition:

Definition List

Attributes:

%secur;

Found in:

additional-proc-check

after-landing-ground-abort-check

aircraft-arm-switches

aircraft-prep-inspect-check

caution
cautionsample
entry
glossary
item
loading
note
notes
notesample
postcheck-check
postloading-insp-check
precaution
preparation
prior-to-launch-check
proc
release-ctrl-sys-check
step
task
unloading
warning
warningsample
weapons-inspect-check
weapons-loading-check
weapons-unloading-check

ELEMENT NAME:

DESC

Content Model:

<!ELEMENT desc (%text;)*>

Element Definition:

Description.

Attributes:

%refs;

%secur;

Found in:

change-summary

ELEMENT NAME:

DESC-SECTION

Content Model:

<!ELEMENT desc-section (not-applicable | (title, intro, titledpara+))>

Element Definition:

Description Section. Descriptive information shall be prepared for the airborne weapons/stores loading and airborne weapons assembly manuals only.

Attributes:

%bodyatt;

%secur;

Found in:

weapons-assembly-manual

weapons-loading-manual

ELEMENT NAME:**DESTR**

Content Model:

<!ELEMENT destr (para)>

Element Definition:

Destruction Notice as part of the Title Page of the Manual

Attributes:

%secur;

Found in:

notices

ELEMENT NAME:**DIRECTIVES**

Content Model:

<!ELEMENT directives (title?, (%paracon;)*, sub-paras?)>

Element Definition:

A list of directives associated with the armament system including Aircraft Service/Airframe Changes, Aviation Armament Changes/Bulletins, Armament Material Changes/Bulletins, Avionics Changes/Bulletins, Accessory Change Bulletins, and Support Equipment Changes/Bulletins. Normally only those directives that must be referenced by number in the checklist text will be listed. Part of the Required Reading Section.

Attributes:

%bodyatt;

%secur;

Found in:

reqread

ELEMENT NAME:

DISTRIB

Content Model:

<!ELEMENT distrib (para)>

Element Definition:

Distribution Notice as part of the Title Page of the Manual

Attributes:

type (A | B | C | D | E | F | X) #REQUIRED

Found in:

notices

ELEMENT NAME:

EFFECT

Content Model:

<!ELEMENT effect (single | boundedrange | unboundedrange)+>

Element Definition:

Effectivity Notice. Effectivity type (e.g. 'Tail Number) is captured in attribute "effecttype"

Attributes:

effecttype CDATA #REQUIRED

%secur;

Found in:

aircraft-effectivities
aircraft-type
arrangement
assumptions
changes-to-manual
figure
how-to-use
intropara
proc
purpose
reference-pubs

req-and-distrib
scope
step
table
tech-directives
titledpara
warning-caution-note
weapons-type

ELEMENT NAME:

EMPHASIS

Content Model:

<!ELEMENT emphasis (%text;)* >

Element Definition:

Attributes:

type (u | b | bu | i | bi | q | ui) #REQUIRED
color (black | white | red | orange | yellow | green | blue | violet | brown |
gray) #IMPLIED

Found in:

abbrev
block-text
change
comm-prefix
def
desc
emphasis
entry
hazdesc
line
name
nomen
para
partno
poc-comm
poc-dsn
poc-email
poc-fax
spec

subtitle
 term
 title
 xlink

ELEMENT NAME:

ENTRY

Content Model:

<!ELEMENT entry (para | %text; | %list; | warning | caution | note)*>

Element Definition:

Table Entry

Attributes:

colname NMTOKEN #IMPLIED
 namest NMTOKEN #IMPLIED
 nameend NMTOKEN #IMPLIED
 spanname NMTOKEN #IMPLIED
 morerows NMTOKEN "0"
 colsep %yesorno;
 #IMPLIED
 rowsep %yesorno;
 #IMPLIED
 rotate NMTOKEN "0"
 valign (top | bottom | middle) #IMPLIED
 align (left | right | center | justify | char) #IMPLIED
 charoff NMTOKEN #IMPLIED
 char CDATA #IMPLIED
 %refs;
 %secur;

Found in:

row

ELEMENT NAME:

ENTRYTBL

Content Model:

<!ELEMENT entrytbl (colspec*, thead?, tbody)+>

Element Definition:

Table-Entry

Attributes:

cols NMTOKEN #REQUIRED
tgroupstyle NMTOKEN #IMPLIED
colname NMTOKEN #IMPLIED
spanname NMTOKEN #IMPLIED
colsep %yesorno;
#IMPLIED
rowsep %yesorno;
#IMPLIED
align (left | right | center | justify | char) #IMPLIED
charoff NMTOKEN #IMPLIED
char CDATA #IMPLIED
%secur;

Found in:

row

ELEMENT NAME:

EQUIPMENT

Content Model:

<!ELEMENT equipment (title?, (%paracon;)*, sub-paras?)>

Element Definition:

A list of recommended handling/loading equipment, and when applicable, a separate list of test equipment and/or special tools shall be provided. Part of the Required Reading Section.

Attributes:

%bodyatt;
%secur;

Found in:

reqread

ELEMENT NAME:

EXP

Content Model:

<!ELEMENT exp (graphic, hazdesc)>

Element Definition:

Hazardous Materials Icons Explanation

Attributes:

%secur;

Found in:

hazmatexp

ELEMENT NAME:

EXPORT

Content Model:

<!ELEMENT export (para)>

Element Definition:

Export Control Notice as part of the Title Page of the Manual

Attributes:

%secur;

Found in:

notices

ELEMENT NAME:

EXTERNAL

Content Model:

<!ELEMENT external (title?)>

Element Definition:

Externals. "xrefid" identifies an XELEMLOC

Attributes:

type (animation | audio | video | task | process | expertsys | question)

"process"

%bodyatt;

Found in:

abbrev

block-text

change

desc

emphasis

entry

hazdesc

para

xlink

ELEMENT NAME:

EXTREF

Content Model:

<!ELEMENT extref (#PCDATA)>

Element Definition:

External Cross Reference

Attributes:

docno CDATA #REQUIRED

%refs;

%secur;

Found in:

abbrev

block-text

change

comm-prefix

def

desc

emphasis

entry

hazdesc

line

name

nomen

para

partno

poc-comm

poc-dsn

poc-email

poc-fax

reference

spec

subtitle

term

title

xlink

ELEMENT NAME:**FIGREF**

Content Model:

<!ELEMENT figref EMPTY>

Element Definition:

Figure Reference to be used for displaying graphic icon as well as IDREF pointer to the titled figure. The IDREF pointer would not be displayed in an ETM, but would be used by the FOSI only

Attributes:

boardno ENTITY #REQUIRED
idref IDREF #REQUIRED
label CDATA #IMPLIED
pretext CDATA #IMPLIED
posttext CDATA #IMPLIED

Found in:

abbrev
block-text
change
comm-prefix
def
desc
emphasis
entry
hazdesc
line
name
nomen
para
partno
poc-comm
poc-dsn
poc-email
poc-fax
reference
spec
subtitle
term
title
xlink

ELEMENT NAME:

FIGURE

Content Model:

<!ELEMENT figure (%fig;)>

Element Definition:

Figure, Subfigure, Graphic

Attributes:

%figatts;

Found in:

additional-proc-check
after-landing-ground-abort-check
aircraft-effectivities
aircraft-prep-inspect-check
arrangement
assumptions
changes-to-manual
how-to-use
postcheck-check
postloading-insp-check
prior-to-launch-check
purpose
reference-pubs
release-ctrl-sys-check
req-and-distrib
scope
task
tech-directives
titledpara
turnaround-check
warning-caution-note
weapons-assembly-check
weapons-disassembly-check
weapons-inspect-check
weapons-loading-check
weapons-unloading-check

ELEMENT NAME:

FRONT-ARM-DEARM-CHECKLIST

Content Model:

```
<!ELEMENT front-arm-dearm-checklist (titlepg, niep-checklist,
change-summary-info?, toc, loc?, how-to-use-etm-info?, intro?, safe-
sum?, hmwspg?, aircraft-arm-switches?)>
```

Element Definition:

Front Matter of Arm/Dearm checklists

Attributes:

%refs;
%secur;

Found in:

arm-dearm-checklist

ELEMENT NAME:

FRONT-AWSE-MANUAL

Content Model:

```
<!ELEMENT front-awse-manual (titlepg, niep, change-summary-info?,
tpdrpg?, toc, loi?, lot?, loc?, how-to-use-etm-info?, reqread?, safesum?,
hmwspg?)>
```

Element Definition:

Front Matter of AWSE Manuals

Attributes:

%refs;
%secur;

Found in:

AWSE-manual

ELEMENT NAME:

FRONT-LOAD-RELEASE-CHECKLIST

Content Model:

```
<!ELEMENT front-load-release-checklist (titlepg, niep-checklist,
change-summary-info?, toc, loc?, how-to-use-etm-info?, intro?, re-
qread?, safesum?, hmwspg?)>
```

Element Definition:

Front Matter of Weapons/Stores Loading and Release and Control System
Checklists

Attributes:

% refs;
% secur;

Found in:

release-ctrl-sys-checklist
weapons-checklist

ELEMENT NAME:

FRONT-WAM

Content Model:

```
<!ELEMENT front-wam (titlepg, niep, change-summary-info?,  
prompg?, tpdrg?, toc, loi?, lot?, loc?, how-to-use-etm-info?, safesum?,  
hmwspg?)>
```

Element Definition:

Front Matter of Weapons Assembly Manuals

Attributes:

% refs;
% secur;

Found in:

weapons-assembly-manual

ELEMENT NAME:

FRONT-WAM-CHECKLIST

Content Model:

```
<!ELEMENT front-wam-checklist (titlepg, niep-checklist, change-sum-  
mary-info?, toc, loc?, how-to-use-etm-info?, intro?, reqread?, safesum?,  
hmwspg?, warnings-cautions?)>
```

Element Definition:

Front Matter of Weapons Assembly checklists

Attributes:

% refs;
% secur;

Found in:

weapons-assembly-checklist

ELEMENT NAME:

FRONT-WEAPONS-LOADING

Content Model:

<!ELEMENT front-weapons-loading (titlepg, niep, change-summary-info?, prompg?, tpdrg?, toc, loi?, lot?, loc?, how-to-use-etm-info?, safesum?)>

Element Definition:

Front Matter of Weapons Loading Manuals

Attributes:

%refs;
%secur;

Found in:

weapons-loading-manual

ELEMENT NAME:

FTNOTE

Content Model:

<!ELEMENT ftnote (%paracon;)*>

Element Definition:

Foot Note

Attributes:

id ID #REQUIRED
label CDATA #IMPLIED
mark (ctr | sym) "ctr"

Found in:

abbrev
block-text
change
desc
emphasis
entry
hazdesc
para
xlink

ELEMENT NAME:

FTNREF

Content Model:

<!ELEMENT ftnref EMPTY>

Element Definition:

Foot Note Reference

Attributes:

xrefid IDREF #REQUIRED

label CDATA #IMPLIED

Found in:

abbrev

block-text

change

desc

emphasis

entry

hazdesc

para

xlink

ELEMENT NAME:

FUNCTION

Content Model:

<!ELEMENT function (#PCDATA)>

Element Definition:

Function

Attributes:

% secur;

Found in:

poc-listing

ELEMENT NAME:

GLOSSARY

Content Model:

<!ELEMENT glossary (title, deflist)>

Element Definition:

Glossary. The glossary shall be prepared and shall include a definition of terms used in the manual.

Attributes:

%bodyatt;
%secur;

Found in:

AWSE-manual
weapons-assembly-manual
weapons-loading-manual

ELEMENT NAME:

GRAPHIC

Content Model:

<!ELEMENT graphic EMPTY>

Element Definition:**Attributes:**

boardno ENTITY #REQUIRED
graphsty (inline | outline | both) "outline"
reprowid NMTOKEN #IMPLIED
reprodep NMTOKEN #IMPLIED
scalefit %yesorno;
#IMPLIED
%secur;

Found in:

abbrev
block-text
change
comm-prefix
def
desc
emphasis
entry
exp
figure

hazdesc
hazmaticon
line
name
nomen
para
partno
poc-comm
poc-dsn
poc-email
poc-fax
prtitle
sigblk
spec
subfig
subtitle
table
term
title
warning
warningsample
xlink

ELEMENT NAME:

HAZARD

Content Model:

<!ELEMENT hazard (hazmat, hazdesc+)>

Element Definition:

Hazard. A single warning for hazardous material used in the Manual.

Attributes:

id ID #REQUIRED
%secur;

Found in:

hazmatwarns

ELEMENT NAME:

HAZDESC

Content Model:

<!ELEMENT hazdesc (%text;)*>

Element Definition:

Hazardous Description Explanation

Attributes:

%secur;

Found in:

exp

hazard

ELEMENT NAME:

HAZMAT

Content Model:

<!ELEMENT hazmat (seqno?, (nomen, (spec | partno)?))>

Element Definition:

Hazard Material. Identifies specific information for a hazardous material

Attributes:

%secur;

Found in:

hazard

ELEMENT NAME:

HAZMATEXP

Content Model:

<!ELEMENT hazmatexp (exp+)>

Element Definition:

Hazardous Materials Icons Explanation List

Attributes:

%secur;

Found in:

hmwspg

ELEMENT NAME:

HAZMATICON

Content Model:

<!ELEMENT hazmaticon (title, graphic)>

Element Definition:

Hazardous material icon

Attributes:

%secur;

Found in:

hazmatlist

ELEMENT NAME:

HAZMATLIST

Content Model:

<!ELEMENT hazmatlist (hazmaticon+)>

Element Definition:

Hazardous material listing (WAM manuals only)

Attributes:

%secur;

Found in:

hmwspg

ELEMENT NAME:

HAZMATWARNS

Content Model:

<!ELEMENT hazmatwarns (hazard)+>

Element Definition:

Hazardous Materials Warnings. A list of complete warnings for all hazardous materials used in the Manual.

Attributes:

%secur;

Found in:

hmwspg

ELEMENT NAME:

HMWSPG

Content Model:

<!ELEMENT hmwspg (title, (%paracon;)*, hazmatlist, hazmatexp, hazmatwarns)>

Element Definition:

Hazardous material warnings (WAM manuals only)

Attributes:

%bodyatt;

%secur;

Found in:

front-arm-dearm-checklist

front-awse-manual

front-load-release-checklist

front-wam

front-wam-checklist

ELEMENT NAME:

HOW-TO-USE

Content Model:

<!ELEMENT how-to-use (effect?, title, ((%introcon;)* | figure)*, subintroparas?)>

Element Definition:

How to use the manual

Attributes:

%bodyatt;

%secur;

Found in:

intro-section

ELEMENT NAME:

HOW-TO-USE-ETM-INFO

Content Model:

<!ELEMENT how-to-use-etm-info (title, (%paracon;)*, sub-paras?)>

Element Definition:

"How to Use This ETM" information (ETMs and ETM checklists only)

Attributes:

%refs;
%secur;

Found in:

front-arm-dearm-checklist
front-awse-manual
front-load-release-checklist
front-wam
front-wam-checklist
front-weapons-loading

ELEMENT NAME:

ICON-SET

Content Model:

<!ELEMENT icon-set EMPTY>

Element Definition:

Icon-Set

Attributes:

boardno ENTITY #REQUIRED
%secur;

Found in:

warning
warningsample

ELEMENT NAME:

IDNO

Content Model:

<!ELEMENT idno (#PCDATA)>

Element Definition:

TPDR/Report Control Number - part of the Technical publication deficiency list.

Attributes:

%secur;

Found in:

tpdentry

ELEMENT NAME:

INDEX

Content Model:

<!ELEMENT index (aircraft-listing+)>

Element Definition:

Airborne weapons/stores publication index listing

Attributes:

%bodyatt;

%secur;

Found in:

weapons-publication-index

ELEMENT NAME:

INDEX-FRONT

Content Model:

<!ELEMENT index-front (titlepg, poc-listing-page, niep, index-intro)>

Element Definition:

Front Matter for the Airborne weapons/stores publication index

Attributes:

%refs;

%secur;

Found in:

weapons-publication-index

ELEMENT NAME:

INDEX-INTRO

Content Model:

<!ELEMENT index-intro (para+, notes)>

Element Definition:

Index Introduction

Attributes:

% secur;

Found in:

index-front

ELEMENT NAME:

INTRO

Content Model:

<!ELEMENT intro (title, (%paracon;)*, sub-para?)>

Element Definition:

Introduction

Attributes:

% bodyatt;

% secur;

Found in:

assem-disassem-proc-section

common-proc-section

config-data-section

desc-section

front-arm-dearm-checklist

front-load-release-checklist

front-wam-checklist

loading-unloading-proc-section

release-ctrl-sys-checks-section

test-and-reprogramming-section

ELEMENT NAME:

INTRO-SECTION

Content Model:

<!ELEMENT intro-section (title, purpose?, scope?, req-and-distrib?, arrangement?, changes-to-manual?, warning-caution-note?, aircraft-effectivities?, how-to-use?, assumptions?, reference-pubs?, tech-directives?)>

Element Definition:

Introduction Section

Attributes:

%bodyatt;
%secur;

Found in:

AWSE-manual
weapons-assembly-manual
weapons-loading-manual

ELEMENT NAME:

INTROPARA

Content Model:

<!ELEMENT intropara (effect?, title, (%introcon;)*, sub-introparas?)>

Element Definition:

Information contained in the Introduction Section

Attributes:

%bodyatt;
%secur;

Found in:

sub-introparas

ELEMENT NAME:

IRAC

Content Model:

<!ELEMENT irac (para)>

Element Definition:

Interim Rapid Action Change (IRAC) Incorporation Notice

Attributes:

%secur;

Found in:

notices

ELEMENT NAME:

ITEM

Content Model:

<!ELEMENT item (para+, note*, (%list;?)>

Element Definition:

List Item

Attributes:

label CDATA #IMPLIED

%refs;

%secur;

Found in:

randlist

seqlist

ELEMENT NAME:

LINE

Content Model:

<!ELEMENT line (%pctext;)*>

Element Definition:

Line of text

Attributes:

%secur;

Found in:

activity

address

sigblk

ELEMENT NAME:

LOADING

Content Model:

<!ELEMENT loading (title, (%procon;)*, taskintro?, step*, proc*)>

Element Definition:

Loading data shall be provided to ensure accomplishment of (1) Lifting, attachment, and alignment of the weapon/store; (2) Fuse and arming wire

installation, CF cable, and umbilical connections; (3) Cartridge installation; (4) Required function checks; and (5) Removal of specific ordnance related safety devices (fuse safety pins, etc.).

Attributes:

%bodyatt;
%secur;

Found in:

weapons-loading-check

ELEMENT NAME:**LOADING-UNLOADING-PROC-SECTION****Content Model:**

<!ELEMENT loading-unloading-proc-section (not-applicable | (title, intro, task+))>

Element Definition:

Specific weapon/store, group loading and unloading procedures (Airborne weapons/stores loading manuals only). For each weapon/store or family group authorized for loading into or onto the aircraft, a separate section shall be prepared containing complete loading through unloading procedures. Where procedures are common to a family group of weapons, the series shall be covered as a single weapon in a family group, i.e., Mk 81, Mk 82 and Mk 83 general purpose bombs.

Attributes:

%bodyatt;
%secur;

Found in:

weapons-loading-manual

ELEMENT NAME:**LOC****Content Model:**

<!ELEMENT loc (locentry)+>

Element Definition:

List of content (ETMs and ETM checklists only)

Attributes:

% secur;

Found in:

front-arm-dearm-checklist
front-awse-manual
front-load-release-checklist
front-wam
front-wam-checklist
front-weapons-loading

ELEMENT NAME:

LOCATION

Content Model:

<!ELEMENT location (#PCDATA)>

Element Definition:

Location Information

Attributes:

% secur;

Found in:

tpdentry

ELEMENT NAME:

LOCENTRY

Content Model:

<!ELEMENT locentry (title, reference, locentry+)>

Element Definition:

List of Contents Entry

Attributes:

% secur;

Found in:

loc
locentry

ELEMENT NAME:

LOI

Content Model:

<!ELEMENT loi EMPTY>

Element Definition:

List of Illustrations (Manuals only)

Attributes:

%secur;

Found in:

front-awse-manual

front-wam

front-weapons-loading

ELEMENT NAME:

LOT

Content Model:

<!ELEMENT lot EMPTY>

Element Definition:

List of Tables(Manuals only)

Attributes:

%secur;

Found in:

front-awse-manual

front-wam

front-weapons-loading

ELEMENT NAME:

MAINTLVL

Content Model:

<!ELEMENT maintlvl (#PCDATA)>

Element Definition:

Maintenance Level

Attributes:

%secur;

Found in:

prtitle

ELEMENT NAME:

MANUAL

Content Model:

```
<!ELEMENT manual (weapons-loading-manual | weapons-assembly-manual | AWSE-manual | weapons-checklist | release-ctrl-sys-checklist | arm-dearm-checklist | weapons-assembly-checklist | weapons-publication-index)>
```

Element Definition:

This DTD covers the requirements for the preparation of technical manuals and checklists for aircraft preparation, for functionally testing various armament systems, and for loading/unloading conventional airborne weapons/stores that are approved for carriage on/in naval aircraft, conventional weapons assembly/disassembly and airborne weapons support equipment description/configuration. Also included are requirements for the preparation of stores reliability cards and an airborne weapons/stores publication index.

Attributes:

%docatt;

Found in:

None

ELEMENT NAME:

MANUALTYPE

Content Model:

```
<!ELEMENT manualtype (#PCDATA)>
```

Element Definition:

Manual Type.

Attributes:

% secur;

Found in:

prtitle

ELEMENT NAME:

MODELDES

Content Model:

<!ELEMENT modeldes (#PCDATA)>

Element Definition:

Model Designator of the end item nomenclature on title page or title block. Attribute "type" indicates whether model is for "aircraft" or other. Model designators for aircraft are preceded by automatically generated text "NAVY MODEL".

Attributes:

type (aircraft | other) "other"

% secur;

Found in:

aircraft-type

weapons-type

ELEMENT NAME:

NAME

Content Model:

<!ELEMENT name (%pctext;)*>

Element Definition:

Name

Attributes:

% secur;

Found in:

poc-team-leader

sigblk

ELEMENT NAME:

NIEP

Content Model:

<!ELEMENT niep (title, currentchgs, para*, pagecount, chghist)>

Element Definition:

List of effective pages (Page-based TMs)

Attributes:

%secur;

Found in:

front-awse-manual

front-wam

front-weapons-loading

index-front

ELEMENT NAME:

NIEP-CHECKLIST

Content Model:

<!ELEMENT niep-checklist (title, para+, currentchgs, pagecount, chghist, additional-copies)>

Element Definition:

List of effective pages (Page-based checklists)

Attributes:

%secur;

Found in:

front-arm-dearm-checklist

front-load-release-checklist

front-wam-checklist

ELEMENT NAME:

NOMEN

Content Model:

<!ELEMENT nomen (%pctext;)*>

Element Definition:

Nomenclature

Attributes:

% secur;

Found in:

hazmat

ELEMENT NAME:

NOT-APPLICABLE

Content Model:

<!ELEMENT not-applicable EMPTY>

Element Definition:

Not Applicable. Used to indicate a section of the manual is not applicable.

Attributes:

% secur;

Found in:

assem-disassem-proc-section
common-proc-section
config-data-section
desc-section
loading-unloading-proc-section
release-ctrl-sys-checks-section
test-and-reprogramming-section

ELEMENT NAME:

NOTE

Content Model:

<!ELEMENT note (para | %list; | table)+>

Element Definition:

Note

Attributes:

%secur;
boardno ENTITY #IMPLIED
keyword CDATA #IMPLIED
xrefid IDREF #IMPLIED
%chgatt;

Found in:

additional-proc-check
after-landing-ground-abort-check
aircraft-arm-switches
aircraft-effectivities
aircraft-prep-inspect-check
arrangement
assumptions
background
changes-to-manual
directives
entry
equipment
ftnote
hmwspg
how-to-use
how-to-use-etm-info
intro
intropara
item
loading
other-info
postcheck-check
postloading-insp-check

preloading
preparation
prior-to-launch-check
proc
purpose
reference-pubs
release-ctrl-sys-check
req-and-distrib
restrictions
safesum
safety-summary
scope
step
task
taskintro
tech-directives
titledpara
turnaround-check
unloading
verification
warning-caution-note
warnings-cautions
weapons-assembly-check
weapons-disassembly-check
weapons-inspect-check
weapons-loading-check
weapons-unloading-check

ELEMENT NAME:

NOTES

Content Model:

<!ELEMENT notes (para | %list;)+>

Element Definition:

Notes

Attributes:

%secur;

Found in:

index-intro

ELEMENT NAME:

NOTESAMPLE

Content Model:

<!ELEMENT notesample (para | %list; | table)+>

Element Definition:

Note Sample. Used to provide a sample of a Note in the Introduction.

Attributes:

%secur;

Found in:

aircraft-effectivities
arrangement
assumptions
changes-to-manual
how-to-use
intropara
purpose
reference-pubs
req-and-distrib
scope
tech-directives
warning-caution-note

ELEMENT NAME:

NOTICES

Content Model:

<!ELEMENT notices (cfa?, super?, suppl*, continue?, irac?, distrib, destr, export?, authnote)>

Element Definition:

The Collection of Notices as part of the Title Page of a Manual

Attributes:

%secur;

Found in:

titlepg

ELEMENT NAME:

NSN

Content Model:

<!ELEMENT nsn (#PCDATA)>

Element Definition:

Stock Number

Attributes:

%secur;

Found in:

basic-issue-info
change-issue-info
titlepg

ELEMENT NAME:

ORIGINATOR

Content Model:

<!ELEMENT originator (#PCDATA)>

Element Definition:

Originator - part of the Technical publication deficiency list.

Attributes:

%secur;

Found in:

tpdentry

ELEMENT NAME:

OTHER-INFO

Content Model:

<!ELEMENT other-info (title?, (%paracon;)*, sub-para?)>

Element Definition:

Other clarifying information as specified by the responsible activity, when applicable. Part of the Required Reading Section.

Attributes:

%bodyatt;

%secur;

Found in:

reqread

ELEMENT NAME:

PAGECOUNT

Content Model:

<!ELEMENT pagecount (#PCDATA)>

Element Definition:

Page Count Statement. Placeholder for the generated statement: "Total number of pages in this manual is XX consisting of the following:"

Attributes:

%secur;

Found in:

niep

niep-checklist

ELEMENT NAME:

PAGEHIST

Content Model:

<!ELEMENT pagehist (pageno, chgnum)>

Element Definition:

Page Change History.

Attributes:

% secur;

Found in:

chghist

ELEMENT NAME:

PAGENO

Content Model:

<!ELEMENT pageno (#PCDATA)>

Element Definition:

Page Number

Attributes:

% secur;

Found in:

pagehist

ELEMENT NAME:

PARA

Content Model:

<!ELEMENT para (%text;)*>

Element Definition:

Paragraph.

Attributes:

% secur;

Found in:

additional-copies

additional-proc-check
after-landing-ground-abort-check
aircraft-arm-switches
aircraft-effectivities
aircraft-prep-inspect-check
arrangement
assumptions
authnote
background
caution
cautionsample
cfa
changes-to-manual
continue
destr
directives
distrib
entry
equipment
export
ftnote
hmwspg
how-to-use
how-to-use-etm-info
index-intro
intro
intropara
irac
item
loading
niep

niep-checklist
note
notes
notesample
other-info
postcheck-check
postloading-insp-check
precaution
preloading
preparation
prior-to-launch-check
proc
prompg
purpose
reference-pubs
release-ctrl-sys-check
req-and-distrib
restrictions
safesum
safety-summary
scope
step
super
suppl
task
taskintro
tech-directives
titledpara
turnaround-check
unloading
verification

warning
warning-caution-note
warnings-cautions
warningsample
weapons-assembly-check
weapons-disassembly-check
weapons-inspect-check
weapons-loading-check
weapons-unloading-check

ELEMENT NAME:

PARTNO

Content Model:

<!ELEMENT partno (%pctext;)*>

Element Definition:

Part Number

Attributes:

%secur;
%refs;
alternate %yesorno; "0"

Found in:

hazmat

ELEMENT NAME:

POC-COMM

Content Model:

<!ELEMENT poc-comm (%pctext;)*>

Element Definition:

Point of Contact - Commercial Number

Attributes:

%secur;

Found in:

poc-info
poc-team-leader

ELEMENT NAME:

POC-DSN

Content Model:

<!ELEMENT poc-dsn (%pctext;)*>

Element Definition:

Point of Contact - DSN Number

Attributes:

%secur;

Found in:

poc-team-leader

ELEMENT NAME:

POC-EMAIL

Content Model:

<!ELEMENT poc-email (%pctext;)*>

Element Definition:

Point of Contact - E-Mail

Attributes:

%secur;

Found in:

poc-info
poc-team-leader

ELEMENT NAME:

POC-FAX

Content Model:

<!ELEMENT poc-fax (%pctext;)*>

Element Definition:

Point of Contact - FAX Number

Attributes:

%secur;

Found in:

poc-info

ELEMENT NAME:

POC-INFO

Content Model:

<!ELEMENT poc-info (address, poc-fax*, poc-comm*, poc-email*, comm-prefix)>

Element Definition:

Points Of Contact Information

Attributes:

%secur;

Found in:

poc-listing-page

ELEMENT NAME:

POC-LISTING

Content Model:

<!ELEMENT poc-listing (function, poc-team-leader+)>

Element Definition:

Point of Contact Listing

Attributes:

%secur;

Found in:

poc-listing-page

ELEMENT NAME:

POC-LISTING-PAGE

Content Model:

<!ELEMENT poc-listing-page (poc-info, poc-team-leader, poc-listing+)>

Element Definition:

Point of Contact Listing Page

Attributes:

%refs;
%secur;

Found in:

index-front

ELEMENT NAME:

POC-TEAM-LEADER

Content Model:

<!ELEMENT poc-team-leader (poc-dsn+, poc-comm+, name+, poc-email, program)>

Element Definition:

Points of Contact - Team Leader Information

Attributes:

%secur;

Found in:

poc-listing
poc-listing-page

ELEMENT NAME:

POSTCHECK-CHECK

Content Model:

```
<!ELEMENT postcheck-check (title, (%procon;)*, taskintro?, step*,  
proc*, figure*)>
```

Element Definition:

Postcheck procedures. Explanation that postcheck procedures must be performed upon completion of the last release and control system check to assure that the aircraft is returned to a safe condition and ready to load. Explanatory statement shall be followed by procedural step(s) as necessary to accomplish postcheck procedures.

Attributes:

%bodyatt;
%secur;

Found in:

release-ctrl-sys-checklist
weapons-checklist

ELEMENT NAME:

POSTLOADING-INSP-CHECK

Content Model:

```
<!ELEMENT postloading-insp-check (title, (%procon;)*, taskintro?,  
step*, proc*, figure*)>
```

Element Definition:

Postloading inspections. Procedures performed by the loading crew during the weapons loading evolution that must be checked to ensure quality assurance shall be included.

Attributes:

%secur;
%bodyatt;

Found in:

weapons-checklist

ELEMENT NAME:

PRECAUTION

Content Model:

<!ELEMENT precaution (para | %list; | table)+>

Element Definition:

Precautions included in the Safety Summary

Attributes:

%secur;

Found in:

safety-summary

ELEMENT NAME:

PRELOADING

Content Model:

<!ELEMENT preloading (title?, (%paracon;)*, sub-paras?)>

Element Definition:

Preloading checks. Part of the Required Reading Section.

Attributes:

%bodyatt;

%secur;

Found in:

reqread

ELEMENT NAME:

PREPARATION

Content Model:

<!ELEMENT preparation (title, (%procon;)*, taskintro?, step*, proc*)>

Element Definition:

Preparation data shall be provided to ensure accomplishment of (1) Completion of Weapon Inspection and Aircraft Preparation/Inspection, (2) Armament controls for the desired position (reference specific switches and positions), and (3) Single and multiple loading information.

Attributes:

%stepatt;
%secur;

Found in:

weapons-loading-check
weapons-unloading-check

ELEMENT NAME:

PRIOR-TO-LAUNCH-CHECK

Content Model:

<!ELEMENT prior-to-launch-check (title, (%procon;)*, taskintro?, step*, proc*, figure*)>

Element Definition:

Prior to launch. Prior to launch procedures will only be addressed within the weapons/stores loading checklist when an arm/dearm checklist is not required for the aircraft platform because of limited weapons capability.

Attributes:

%bodyatt;
%secur;

Found in:

arm-dearm-checklist
weapons-checklist

ELEMENT NAME:

PROC

Content Model:

<!ELEMENT proc (effect?, title, (%procon;)*, step*)>

Element Definition:

Procedure

Attributes:

%stepatt;

%secur;

Found in:

additional-proc-check
after-landing-ground-abort-check
aircraft-prep-inspect-check
loading
postcheck-check
postloading-insp-check
preparation
prior-to-launch-check
release-ctrl-sys-check
task
turnaround-check
unloading
weapons-assembly-check
weapons-disassembly-check
weapons-inspect-check

ELEMENT NAME:

PROGRAM

Content Model:

<!ELEMENT program (#PCDATA)>

Element Definition:

Program

Attributes:

%secur;

Found in:

poc-team-leader

ELEMENT NAME:

PROMPG

Content Model:

<!ELEMENT prompg (activity, address, date, title, para+, sigblk)>

Element Definition:

Promulgation page (Airborne weapons/stores and WAM manuals only)

Attributes:

%secur;

Found in:

front-wam
front-weapons-loading

ELEMENT NAME:

PRTITLE

Content Model:

<!ELEMENT prtitle (manualtype?, maintlvl?, weapons-type*, aircraft-type*, subtitle?, graphic?)>

Element Definition:

Publication Title. Consists of the manual type and the end item nomenclature.

Attributes:

%secur;

Found in:

titlepg

ELEMENT NAME:

PUB-LISTING

Content Model:

<!ELEMENT pub-listing (weapon, reference, basic-issue-info, change-issue-info*)>

Element Definition:

Publication listing. Part of the Airborne weapons/stores publication index listing

Attributes:

% secur;

Found in:

aircraft-listing

ELEMENT NAME:

PUBDATE

Content Model:

<!ELEMENT pubdate (#PCDATA)>

Element Definition:

Publication Date

Attributes:

% secur;

Found in:

basic-issue-info
titlepg

ELEMENT NAME:

PURPOSE

Content Model:

<!ELEMENT purpose (effect?, title, ((%introcon;)* | figure)*, sub-introparas?)>

Element Definition:

Purpose

Attributes:

%bodyatt;

%secur;

Found in:

intro-section

ELEMENT NAME:

RANDLIST

Content Model:

<!ELEMENT randlist (title?, item+)>

Element Definition:

Random List

Attributes:

%secur;

Found in:

additional-proc-check
after-landing-ground-abort-check
aircraft-arm-switches
aircraft-prep-inspect-check
caution
cautionsample
entry
item
loading
note
notes
notesample
postcheck-check

postloading-insp-check
precaution
preparation
prior-to-launch-check
proc
release-ctrl-sys-check
step
task
unloading
warning
warningsample
weapons-inspect-check
weapons-loading-check
weapons-unloading-check

ELEMENT NAME:

REFERENCE

Content Model:

<!ELEMENT reference (#PCDATA | xref | extref | figref)*>

Element Definition:

Reference

Attributes:

%secur;

Found in:

locentry
pub-listing

ELEMENT NAME:

REFERENCE-PUBS

Content Model:

```
<!ELEMENT reference-pubs (effect?, title, ((%introcon;)* | figure)*,
sub-introparas?)>
```

Element Definition:

Reference publications

Attributes:

%secur;

Found in:

intro-section

ELEMENT NAME:

RELEASE-CTRL-SYS-CHECK

Content Model:

```
<!ELEMENT release-ctrl-sys-check (title, (%procon;)*, taskintro?,
step*, proc*, figure*)>
```

Element Definition:

Release and control system check.

Attributes:

%bodyatt;

%secur;

Found in:

release-ctrl-sys-checklist

weapons-checklist

ELEMENT NAME:

RELEASE-CTRL-SYS-CHECKLIST

Content Model:

```
<!ELEMENT release-ctrl-sys-checklist (front-load-release-checklist, air-
craft-prep-inspect-check*, release-ctrl-sys-check*, postcheck-check*)>
```

Element Definition:

Release and control systems checklist

Attributes:

%docatt;
checklist-type (basic | subsystem) #REQUIRED

Found in:

manual

ELEMENT NAME:

RELEASE-CTRL-SYS-CHECKS-SECTION

Content Model:

<!ELEMENT release-ctrl-sys-checks-section (not-applicable | (title, intro, (titledpara | task)+))>

Element Definition:

Release and Control Section. Release and control information shall be developed for the weapons/stores loading manual and the WAM only.

Attributes:

%bodyatt;
%secur;

Found in:

weapons-loading-manual

ELEMENT NAME:

REQ-AND-DISTRIB

Content Model:

<!ELEMENT req-and-distrib (effect?, title, ((%introcon;)* | figure)*, sub-introparas?)>

Element Definition:

Requisitioning and distribution

Attributes:

%bodyatt;

%secur;

Found in:

intro-section

ELEMENT NAME:

REQREAD

Content Model:

<!ELEMENT reqread (title, background?, directives?, preloading?, restrictions?, equipment?, verification?, other-info*)>

Element Definition:

Required reading (AWSE manual and loading/release and control checklists only)

Attributes:

%refs;

%secur;

Found in:

front-awse-manual

front-load-release-checklist

front-wam-checklist

ELEMENT NAME:

RESTRICTIONS

Content Model:

<!ELEMENT restrictions (title?, (%paracon;)*, sub-paras?)>

Element Definition:

Applicable restrictions. Part of the Required Reading Section.

Attributes:

%bodyatt;

%secur;

Found in:

reqread

ELEMENT NAME:

REV.DATE

Content Model:

<!ELEMENT rev.date (rev.no, date)>

Element Definition:

Revision Level and Date of Issue

Attributes:

%secur;

Found in:

currentchgs

ELEMENT NAME:

REV.NO

Content Model:

<!ELEMENT rev.no (#PCDATA)>

Element Definition:

Revision Number

Attributes:

%secur;

Found in:

rev.date

ELEMENT NAME:

ROW

Content Model:

<!ELEMENT row (entry | entrytbl)+>

Element Definition:

Table Row

Attributes:

rowsep %yesorno; #IMPLIED

id ID #IMPLIED

%secur;

Found in:

tbody

tfoot

thead

ELEMENT NAME:

SAFESUM

Content Model:

<!ELEMENT safesum (title, (%paracon;)*, sub-paras?)>

Element Definition:

Safety summary (Manuals only)

Attributes:

%refs;

%secur;

Found in:

front-arm-dearm-checklist

front-awse-manual

front-load-release-checklist
front-wam
front-wam-checklist
front-weapons-loading

ELEMENT NAME:

SAFETY-SUMMARY

Content Model:

<!ELEMENT safety-summary (title, (%paracon;)*, precaution*)>

Element Definition:

Safety Summary

Attributes:

%bodyatt;
%secur;

Found in:

arm-dearm-checklist

ELEMENT NAME:

SCOPE

Content Model:

<!ELEMENT scope (effect?, title, ((%introcon;)* | figure)*, sub-in-troparas?)>

Element Definition:

Scope

Attributes:

%bodyatt;
%secur;

Found in:

intro-section

ELEMENT NAME:

SEQLIST

Content Model:

<!ELEMENT seqlist (title?, item+)>

Element Definition:

Sequential List

Attributes:

% secur;

Found in:

aircraft-arm-switches
caution
cautionsample
entry
item
note
notes
notesample
precaution
warningsample

ELEMENT NAME:

SEQNO

Content Model:

<!ELEMENT seqno (#PCDATA)>

Element Definition:

Sequence Number

Attributes:

%secur;

Found in:

hazmat

ELEMENT NAME:

SIGBLK

Content Model:

<!ELEMENT sigblk (graphic?, name, line+)>

Element Definition:

Signature Block

Attributes:

%secur;

Found in:

prompg

ELEMENT NAME:

SINGLE

Content Model:

<!ELEMENT single EMPTY>

Element Definition:

Effectivity - single effectivity number such as "Tail Number X"

Attributes:

number NMTOKEN #REQUIRED

%secur;

Found in:

effect

ELEMENT NAME:

SPANSPEC

Content Model:

<!ELEMENT spanspec EMPTY>

Element Definition:

Spanning Specification

Attributes:

namest NMTOKEN #REQUIRED
nameend NMTOKEN #REQUIRED
spanname NMTOKEN #REQUIRED
align (left | right | center | justify | char) "center"
charoff NMTOKEN #IMPLIED
char CDATA #IMPLIED
colsep %yesorno; #IMPLIED
rowsep %yesorno; #IMPLIED

Found in:

tgroup

ELEMENT NAME:

SPEC

Content Model:

<!ELEMENT spec (%pctext;)*>

Element Definition:

Specification Number

Attributes:

%secur;

Found in:

hazmat

ELEMENT NAME:

STD2COLHD

Content Model:

<!ELEMENT std2colhd (stdhead1, stdhead2)>

Element Definition:

Standard 2-Column Head

Attributes:

Found in:

abbrevlist

chghist

ELEMENT NAME:

STD3COLHD

Content Model:

<!ELEMENT std3colhd (stdhead1, stdhead2, stdhead3)>

Element Definition:

Standard 3-Column Head

Attributes:

Found in:

tpd

ELEMENT NAME:

STDHEAD1

Content Model:

<!ELEMENT stdhead1 EMPTY>

Element Definition:

Standard Head - First Column

Attributes:

Found in:

std2colhd

std3colhd

ELEMENT NAME:

STDHEAD2

Content Model:

<!ELEMENT stdhead2 EMPTY>

Element Definition:

Standard Head - Second Column

Attributes:

Found in:

std2colhd

std3colhd

ELEMENT NAME:

STDHEAD3

Content Model:

<!ELEMENT stdhead3 EMPTY>

Element Definition:

Standard Head - Third Column

Attributes:

Found in:

std3colhd

ELEMENT NAME:

STEP

Content Model:

<!ELEMENT step (effect?, (%stepcon;), sub-steps?)>

Element Definition:

Procedural Step. All procedural steps are tagged as <step>, regardless of hierarchical level. If a step contains subordinate steps, those subordinate steps are surrounded by wrapper element <sub-steps>

Attributes:

%stepatt;

%secur;

Found in:

additional-proc-check
after-landing-ground-abort-check
aircraft-prep-inspect-check
loading
postcheck-check
postloading-insp-check
preparation
prior-to-launch-check
proc
release-ctrl-sys-check

sub-steps
task
turnaround-check
unloading
weapons-assembly-check
weapons-disassembly-check
weapons-inspect-check

ELEMENT NAME:

SUB-INTROPARAS

Content Model:

<!ELEMENT sub-introparas (intropara+)>

Element Definition:

Subordinate titled paragraphs contained in the Introduction Section. All titled paragraphs are tagged as <intropara>, regardless of hierarchical level. If a Titled paragraph contains subordinate paragraphs, those subordinate paragraphs are surrounded by this wrapper element <sub-introparas>

Attributes:

% secur;

Found in:

aircraft-effectivities
arrangement
assumptions
changes-to-manual
how-to-use

intropara
purpose
reference-pubs
req-and-distrib
scope
tech-directives
warning-caution-note

ELEMENT NAME:

SUB-PARAS

Content Model:

<!ELEMENT sub-paras (titledpara+)>

Element Definition:

Subordinate titled paragraphs. All titled paragraphs are tagged as <titled-para>, regardless of hierarchical level. If a Titled paragraph contains subordinate paragraphs, those subordinate paragraphs are surrounded by this wrapper element <sub-paras>

Attributes:

%secur;

Found in:

background
directives
equipment
how-to-use-etm-info
intro
other-info

preloading
restrictions
safesum
taskintro
titledpara
verification

ELEMENT NAME:

SUB-STEPS

Content Model:

<!ELEMENT sub-steps (step+)>

Element Definition:

Subordinate steps. All procedural steps are tagged as <step>, regardless of hierarchical level. If a step contains subordinate steps, those subordinate steps are surrounded by this wrapper element <sub-steps>

Attributes:

%secur;

Found in:

step

ELEMENT NAME:

SUBFIG

Content Model:

<!ELEMENT subfig (graphic)>

Element Definition:

Sub figure

Attributes:

orient (port | land1) "port"
label CDATA #IMPLIED
%refs;
%chgatt;
%secur;

Found in:

figure

ELEMENT NAME:

SUBSCRIPT

Content Model:

<!ELEMENT subscript (#PCDATA)>

Element Definition:

Subscript

Attributes:

Found in:

abbrev
block-text
change
desc
emphasis
entry
hazdesc
para

xlink

ELEMENT NAME:

SUBTITLE

Content Model:

<!ELEMENT subtitle (%pctext;)*>

Element Definition:

Sub Title

Attributes:

% secur;

Found in:

prtitle

ELEMENT NAME:

SUPER

Content Model:

<!ELEMENT super (para)>

Element Definition:

Supersedure notice

Attributes:

Found in:

notices

ELEMENT NAME:

SUPPL

Content Model:

<!ELEMENT suppl (para)>

Element Definition:

Cross-reference notice to supplements

Attributes:

% secur;

Found in:

notices

ELEMENT NAME:

SUPSCRIPT

Content Model:

<!ELEMENT supscrt (#PCDATA)>

Element Definition:

Superscript

Attributes:

Found in:

abbrev
block-text
change
desc
emphasis
entry
hazdesc

para
xlink

ELEMENT NAME:

SYMBOL

Content Model:

<!ELEMENT symbol EMPTY>

Element Definition:

Symbol

Attributes:

boardno ENTITY #REQUIRED

Found in:

abbrev
block-text
change
desc
emphasis
entry
hazdesc
para
xlink

ELEMENT NAME:

TABLE

Content Model:

```
<!ELEMENT table (effect?, title?, (tgroup+ | graphic+))>
```

Element Definition:

```
CALS TABLE MODEL
```

Attributes:

```
tabstyle NMTOKEN #IMPLIED  
numbered %yesorno; "1"  
frame (top | bottom | topbot | all | sides | none) #IMPLIED  
colsep %yesorno; #IMPLIED  
rowsep %yesorno; #IMPLIED  
orient (port | land) #IMPLIED  
pgwide %yesorno; #IMPLIED  
%bodyatt;  
%secur;
```

Found in:

```
additional-proc-check  
after-landing-ground-abort-check  
aircraft-arm-switches  
aircraft-effectivities  
aircraft-prep-inspect-check  
arrangement  
assumptions  
background
```

caution
cautionsample
changes-to-manual
directives
equipment
ftnote
hmwspg
how-to-use
how-to-use-etm-info
intro
intropara
loading
note
notesample
other-info
postcheck-check
postloading-insp-check
precaution
preloading
preparation
prior-to-launch-check
proc
purpose

reference-pubs
release-ctrl-sys-check
req-and-distrib
restrictions
safesum
safety-summary
scope
step
task
taskintro
tech-directives
titledpara
turnaround-check
unloading
verification
warning-caution-note
warnings-cautions
weapons-assembly-check
weapons-disassembly-check
weapons-inspect-check
weapons-loading-check
weapons-unloading-check

ELEMENT NAME:

TASK

Content Model:

```
<!ELEMENT task (title, (%procon;)*, taskintro?, step*, proc*, figure*)>
```

Element Definition:

Procedural Task.

Attributes:

%bodyatt;

%secur;

Found in:

assem-disassem-proc-section

common-proc-section

config-data-section

loading-unloading-proc-section

release-ctrl-sys-checks-section

test-and-reprogramming-section

ELEMENT NAME:

TASKINTRO

Content Model:

```
<!ELEMENT taskintro (title, (%paracon;)*, sub-paras?)>
```

Element Definition:

Task Introduction

Attributes:

%bodyatt;

%secur;

Found in:

additional-proc-check
after-landing-ground-abort-check
aircraft-prep-inspect-check
loading
postcheck-check
postloading-insp-check
preparation
prior-to-launch-check
release-ctrl-sys-check
task
turnaround-check
unloading
weapons-assembly-check
weapons-disassembly-check
weapons-inspect-check
weapons-loading-check
weapons-unloading-check

ELEMENT NAME:

TBODY

Content Model:

<!ELEMENT tbody (row+)>

Element Definition:

Table Body

Attributes:

valign (top | middle | bottom) "top"

%secur;

Found in:

entrytbl

tgroup

ELEMENT NAME:

TECH-DIRECTIVES

Content Model:

<!ELEMENT tech-directives (effect?, title, ((%introcon;)* | figure)*, sub-introparas?)>

Element Definition:

Technical directives

Attributes:

%bodyatt;

%secur;

Found in:

intro-section

ELEMENT NAME:

TERM

Content Model:

<!ELEMENT term (%pctext;)*>

Element Definition:

Term

Attributes:

%secur;

Found in:

defhd

deflist

ELEMENT NAME:

TEST-AND-REPROGRAMMING-SECTION

Content Model:

<!ELEMENT test-and-reprogramming-section (not-applicable | (title, intro, (titledpara | task)+))>

Element Definition:

Test and Reprogramming Checks Section shall be developed for the weapons/stores loading manual and the WAM only.

Attributes:

%bodyatt;

%secur;

Found in:

weapons-assembly-manual

ELEMENT NAME:

TFOOT

Content Model:

<!ELEMENT tfoot (colspec*, row+)>

Element Definition:

Table Foot

Attributes:

valign (top | middle | bottom) "top"

%secur;

Found in:

tgroup

ELEMENT NAME:

TGROUP

Content Model:

<!ELEMENT tgroup (colspec*, spanspec*, thead?, tfoot?, tbody)>

Element Definition:

Table Group

Attributes:

```
cols NMTOKEN #REQUIRED
tgroupstyle NMTOKEN #IMPLIED
colsep %yesorno; #IMPLIED
rowsep %yesorno; #IMPLIED
align (left | right | center | justify | char) "left"
charoff NMTOKEN "50"
char CDATA ""
% secur;
```

Found in:

table

ELEMENT NAME:

THEAD

Content Model:

<!ELEMENT thead (colspec*, row+)>

Element Definition:

Table Head

Attributes:

valign (top | middle | bottom) "bottom"
% secur;

Found in:

entrytbl
tgroup

ELEMENT NAME:

TITLE

Content Model:

<!ELEMENT title (%pctext;)*>

Element Definition:

Title

Attributes:

% secur;

Found in:

abbrevlist
additional-copies
additional-proc-check
after-landing-ground-abort-check
aircraft-arm-switches
aircraft-effectivities

aircraft-prep-inspect-check
arrangement
assem-disassem-proc-section
assumptions
background
change-summary
changes-to-manual
common-proc-section
config-data-section
deflist
desc-section
directives
equipment
external
figure
glossary
hazmaticon
hmwspg
how-to-use
how-to-use-etm-info
intro
intro-section

intropara
loading
loading-unloading-proc-section
loentry
niep
niep-checklist
other-info
postcheck-check
postloading-insp-check
preloading
preparation
prior-to-launch-check
proc
prompg
purpose
randlist
reference-pubs
release-ctrl-sys-check
release-ctrl-sys-checks-section
req-and-distrib
reqread
restrictions

safesum
safety-summary
scope
seqlist
table
task
taskintro
tech-directives
test-and-reprogramming-section
titledpara
tpdrpg
turnaround-check
unloading
verification
warning-caution-note
warnings-cautions
weapons-assembly-check
weapons-disassembly-check
weapons-inspect-check
weapons-loading-check
weapons-unloading-check

ELEMENT NAME:

TITLEDPARA

Content Model:

```
<!ELEMENT titledpara (effect?, title, ((%paracon;)* | figure)*,
sub-para?)>
```

Element Definition:

Titled paragraph. Groups a title, with paragraph content, and it's sub-paragraphs. If a Titled paragraph contains subordinate paragraphs, those subordinate paragraphs are surrounded by wrapper element <sub-para>

Attributes:

```
%bodyatt;
%secur;
```

Found in:

```
config-data-section
desc-section
release-ctrl-sys-checks-section
sub-para
test-and-reprogramming-section
```

ELEMENT NAME:

TITLEPG

Content Model:

```
<!ELEMENT titlepg (tmidno+, pubdate, (chgnum, chgdate)?, prtitle, notices?, nsn?)>
```

Element Definition:

Title page

Attributes:

```
id ID #IMPLIED  
%secur;
```

Found in:

```
front-arm-dearm-checklist  
front-awse-manual  
front-load-release-checklist  
front-wam  
front-wam-checklist  
front-weapons-loading  
index-front
```

ELEMENT NAME:

TMIDNO

Content Model:

<!ELEMENT tmidno (#PCDATA)>

Element Definition:

Publication Number (ID Number) of the Manual.

Attributes:

%secur;

Found in:

titlepg

ELEMENT NAME:

TOC

Content Model:

<!ELEMENT toc EMPTY>

Element Definition:

Table of Contents

Attributes:

%secur;

Found in:

front-arm-dearm-checklist
front-awse-manual
front-load-release-checklist
front-wam

front-wam-checklist
front-weapons-loading

ELEMENT NAME:

TPD

Content Model:

<!ELEMENT tpd (std3colhd, tpdentry+)>

Element Definition:

Technical publication deficiency list

Attributes:

Found in:

tpdrpg

ELEMENT NAME:

TPDENTRY

Content Model:

<!ELEMENT tpdentry (originator, idno, location)>

Element Definition:

An individual entry in the technical publication deficiency list consisting of Identification number/QA sequence number and location.

Attributes:

%secur;

Found in:

tpd

ELEMENT NAME:

TPDRPG

Content Model:

<!ELEMENT tpdrg (title, tpd)>

Element Definition:

Technical Publication Deficiency Report (TPDR) incorporation page
(Manuals only)

Attributes:

id ID #IMPLIED

%secur;

Found in:

front-awse-manual

front-wam

front-weapons-loading

ELEMENT NAME:

TURNAROUND-CHECK

Content Model:

```
<!ELEMENT turnaround-check (title, (%paracon;)*, taskintro?, step*,  
proc*, figure*)>
```

Element Definition:

Turnaround procedures.

Attributes:

```
%bodyatt;  
%secur;
```

Found in:

```
arm-dearm-checklist  
weapons-checklist
```

ELEMENT NAME:

UNBOUNDED RANGE

Content Model:

```
<!ELEMENT unboundedrange EMPTY>
```

Element Definition:

Effectivity Notice - unbounded range of effectivity numbers such as "Tail Number X and Up"

Attributes:

```
lowrange NMTOKEN #REQUIRED
```

%secur;

Found in:

effect

ELEMENT NAME:

UNLOADING

Content Model:

<!ELEMENT unloading (title, (%procon;)*, taskintro?, step*, proc*)>

Element Definition:

Unloading data shall be provided to ensure accomplishment of: (1) Lifting, removal, and lowering of weapons/stores (both single and multiple weapons/stores); and (2) Other procedures required on the aircraft/weapon after downloading.

Attributes:

%bodyatt;

%secur;

Found in:

weapons-unloading-check

ELEMENT NAME:

VERBATIM

Content Model:

<!ELEMENT verbatim (#PCDATA)>

Element Definition:

Attributes:

Found in:

- abbrev
- block-text
- change
- comm-prefix
- def
- desc
- emphasis
- entry
- hazdesc
- line
- name
- nomen
- para
- partno
- poc-comm

poc-dsn
poc-email
poc-fax
spec
subtitle
term
title
xlink

ELEMENT NAME:

VERIFICATION

Content Model:

<!ELEMENT verification (title?, (%paracon;)*, sub-paras?)>

Element Definition:

Applicable manuals for flight authorization shall be listed under the heading "Verified Weapons Loading." Part of the Required Reading Section.

Attributes:

%bodyatt;
%secur;

Found in:

reqread

ELEMENT NAME:

WARNING

Content Model:

<!ELEMENT warning (icon-set | graphic | para | randlist | deflist)+>

Element Definition:

Warning

Attributes:

boardno ENTITY #IMPLIED

xrefid IDREF #IMPLIED

%secur;

%chgatt;

Found in:

additional-proc-check

after-landing-ground-abort-check

aircraft-prep-inspect-check

entry

loading

postcheck-check

postloading-insp-check
preparation
prior-to-launch-check
proc
release-ctrl-sys-check
step
task
unloading
warnings
weapons-inspect-check
weapons-loading-check
weapons-unloading-check

ELEMENT NAME:

WARNING-CAUTION-NOTE

Content Model:

<!ELEMENT warning-caution-note (effect?, title, ((%introcon;)* | figure)*, sub-introparas?)>

Element Definition:

Warnings, cautions, and notes

Attributes:

%bodyatt;

%secur;

Found in:

intro-section

ELEMENT NAME:

WARNINGS

Content Model:

<!ELEMENT warnings (warning)+>

Element Definition:

Warnings listing (WAM checklists only)

Attributes:

%secur;

Found in:

warnings-cautions

ELEMENT NAME:

WARNINGS-CAUTIONS

Content Model:

<!ELEMENT warnings-cautions (title, (%paracon;)*, warnings, cautions)>

Element Definition:

Warnings and cautions (WAM checklists only)

Attributes:

%secur;

Found in:

front-wam-checklist

ELEMENT NAME:

WARNINGSAMPLE

Content Model:

<!ELEMENT warningsample (icon-set | graphic | para | %list;)+>

Element Definition:

Warning Sample. Used to provide a sample of a Warning in the Introduction.

Attributes:

%secur;

Found in:

aircraft-effectivities
arrangement
assumptions
changes-to-manual
how-to-use
intropara
purpose
reference-pubs
req-and-distrib
scope
tech-directives
warning-caution-note

ELEMENT NAME:

WEAPON

Content Model:

<!ELEMENT weapon (#PCDATA)>

Element Definition:

Weapon Listing. Part of the Airborne weapons/stores publication index listing

Attributes:

%secur;

Found in:

pub-listing

weapons-type

ELEMENT NAME:

WEAPONS-ASSEMBLY-CHECK

Content Model:

<!ELEMENT weapons-assembly-check (title, (%paracon;)*, taskintro?, step*, proc*, figure*)>

Element Definition:

Weapons assembly check

Attributes:

%bodyatt;

%secur;

Found in:

weapons-assembly-checklist

ELEMENT NAME:

WEAPONS-ASSEMBLY-CHECKLIST

Content Model:

<!ELEMENT weapons-assembly-checklist (front-wam-checklist,
weapons-assembly-check*, weapons-disassembly-check*)>

Element Definition:

Weapons assembly checklist

Attributes:

%docatt;

Found in:

manual

ELEMENT NAME:

WEAPONS-ASSEMBLY-MANUAL

Content Model:

<!ELEMENT weapons-assembly-manual (front-wam, intro-section, desc-section, config-data-section, test-and-reprogramming-section, common-proc-section, assem-disassem-proc-section+, glossary)>

Element Definition:

Airborne weapons assembly manuals (WAM)

Attributes:

%docatt;

Found in:

manual

ELEMENT NAME:

WEAPONS-CHECKLIST

Content Model:

<!ELEMENT weapons-checklist (front-load-release-checklist, aircraft-prep-inspect-check*, weapons-inspect-check*, weapons-loading-check*, postloading-insp-check*, prior-to-launch-check*, after-landing-ground-abort-check*, turnaround-check*, weapons-unloading-check*, release-ctrl-sys-check*, postcheck-check*, additional-proc-check*)>

Element Definition:

Weapons/Stores loading checklist

Attributes:

%docatt;

Found in:

manual

ELEMENT NAME:

WEAPONS-DISASSEMBLY-CHECK

Content Model:

<!ELEMENT weapons-disassembly-check (title, (%paracon;)*, taskin-
tro?, step*, proc*, figure*)>

Element Definition:

Weapons Disassembly check

Attributes:

%bodyatt; %secur;

Found in:

weapons-assembly-checklist

ELEMENT NAME:

WEAPONS-INSPECT-CHECK

Content Model:

<!ELEMENT weapons-inspect-check (title, (%procon;)*, taskintro?, step*, proc*, figure*)>

Element Definition:

Weapons/stores inspection. Weapon/store inspection information will be presented under the assumption that the weapons/stores are assembled and ready for the loading evolution to begin.

Attributes:

%bodyatt; %secur;

Found in:

weapons-checklist

ELEMENT NAME:

WEAPONS-LOADING-CHECK

Content Model:

```
<!ELEMENT weapons-loading-check (title, (%procon;)*, taskintro?,  
preparation, figure*, loading, figure*)>
```

Element Definition:

Weapons/stores loading. The Weapons/Stores Loading sections shall be divided into two subsections titled "Preparation" and "Loading."

Attributes:**Found in:**

weapons-checklist

ELEMENT NAME:

WEAPONS-LOADING-MANUAL

Content Model:

```
<!ELEMENT weapons-loading-manual (front-weapons-loading, intro-  
section, desc-section, config-data-section, release-ctrl-sys-checks-sec-  
tion, common-proc-section, loading-unloading-proc-section+, glossary)>
```

Element Definition:

Airborne weapons/stores loading manual

Attributes:

Found in:

manual

ELEMENT NAME:

WEAPONS-PUBLICATION-INDEX

Content Model:

<!ELEMENT weapons-publication-index (index-front, index)>

Element Definition:

Airborne weapons/stores publication index

Attributes:

Found in:

manual

ELEMENT NAME:

WEAPONS-TYPE

Content Model:

<!ELEMENT weapons-type (weapon, modeldes?, effect?)>

Element Definition:

Weapons Type

Attributes:

Found in:

prtitle

ELEMENT NAME:

WEAPONS-UNLOADING-CHECK

Content Model:

```
<!ELEMENT weapons-unloading-check (title, (%proccon;)*, taskintro?,  
preparation, figure*, unloading, figure*)>
```

Element Definition:

Weapons unloading. Weapons unloading shall be divided into preparation and unloading procedures and steps to accomplish the following as applicable.

Attributes:

Found in:

weapons-checklist

ELEMENT NAME:

WEB

Content Model:

<!ELEMENT web EMPTY>

Element Definition:

Web Accessibility indication

Attributes:

Found in:

basic-issue-info

change-issue-info

ELEMENT NAME:

XLINK

Content Model:

<!ELEMENT xlink (%text;)*>

Element Definition:

X-Link Element

Attributes:

Found in:

abbrev
block-text
change
desc
emphasis
entry
hazdesc
para
xlink

ELEMENT NAME:

XREF

Content Model:

<!ELEMENT xref EMPTY>

Element Definition:

Cross Reference

Attributes:

Found in:

abbrev

block-text

change

comm-prefix

def

desc

emphasis

entry

hazdesc

line
name
nomen
para
partno
poc-comm
poc-dsn
poc-email
poc-fax
reference
spec
subtitle
term
title
xlink